INORGANICA CHIMICA ACTA VOLUME 221, NUMBERS 1–2, JUNE 15, 1994

Contents

Preliminary Communications

$[Rh_2(O_2CCH_3)_4TCNE]_x$ polymers: isomers with either 1,1- or *trans*-1,2-TCNE bridges 1
F.A. Cotton, Y. Kim and J. Lu (College Station, TX, USA)

Ten-vertex polyhedral dicarbaborane chemistry: new positional isomers of cluster constituents in the ten-vertex *arachno* dicarbaborane family: the parent [*arachno*-5,10-$C_2B_8H_{13}]^-$ anion and the isomeric ligand derivatives *exo*-9-L-arachno-5,6-$C_2B_8H_{12}$ and *exo*-9-L-*arachno*-5,10-$C_2B_8H_{12}$ 5
J. Holub, B. Štíbr, Z. Janoušek (Řež, Czech Republic), J.D. Kennedy and M. Thornton-Pett (Leeds, UK)

Articles

The steric effect on the ring opening process of the decarboxylation of *cis*-carbonato-bis(diamine)cobalt(III) ions 9
S.S. Massoud (Alexandria, Egypt) and R.B. Jordan (Edmonton, Alta., Canada)

Spectroscopic investigation of mixed-ligand nickel(II) chelates containing β-ketoenols and 1,2-diamines 17
C. Tsiamis, H.H. Alkam and C.C. Hadjikostas (Thessaloniki, Greece)

The decomposition of peroxomonosulfate induced by manganese(II) in acid solution 25
Z. Zhang, J.O. Edwards and P.H. Rieger (Providence, RI, USA)

Non-isothermal spectrophotometric kinetics applied to inorganic reactions 31
G. Alibrandi (Messina, Italy)

An ethyl–cobalt complex with a buckled equatorial ligand 35
C.A. McFarland, S.A. Gross, J.S. Winfield and V.B. Pett (Wooster, OH, USA)

π-Facial selectivities in the coordination of an optically pure fused cyclopentadienyl ligand to arene ruthenium moieties. NMR spectral and structural characterization of a single diastereomer of $[(PCp)Ru(Me_6C_6)]PF_6$ 41
D. Bhaduri, J.H. Nelson, L. Solujic', E.B. Milosavljevic' (Reno, NV, USA), C.L. Day, R.A. Jacobson (Ames, IA, USA) and G.A. Gray (Palo Alto, CA, USA)

Synthesis, characterization and X-ray crystal structure of the benzenedithiolatohafnium(IV) porphyrin complex 51
S. Ryu (Pohang, South Korea and Taegu, South Korea), D. Whang (Pohang, South Korea), H. Yeo (Taegu, South Korea) and K. Kim (Pohang, South Korea)

Ruthenium chromophores containing terpyridine and a series of polyazine bridging ligands. 55
L.M. Vogler, C. Franco, S.W. Jones and K.J. Brewer (Blacksburg, VA, USA)

Synthesis and spectroscopic properties of diorganotin(IV) derivatives of 2,6-diacetylpyridine bis(thiosemicarbazone). Crystal structure of diphenyl{2,6-diacetylpyridine bis(thiosemicarbazonato)}tin(IV) bis(dimethylformamide) solvate. 61
J.S. Casas, A. Castiñeiras, A. Sánchez, J. Sordo, A. Vázquez-López (Santiago de Compostela, Spain), M.C. Rodriguez-Argüelles (Vigo, Spain) and U. Russo (Padua, Italy)

Coordination study of D-xylo 5-hexulosonic acid with borate, molybdate and tungstate in aqueous solution by nuclear magnetic resonance spectroscopy 69
M.M. Caldeira, M.L. Ramos, V.M.S. Gil (Coimbra, Portugal), H. van Bekkum and J.A. Peters (Delft, Netherlands)

Photoredox chemistry of iodomercurate(II) complexes in acetonitrile 79
O. Horváth (Veszprém, Hungary) and A. Vogler (Regensburg, Germany)

An investigation of electron transfer properties of $(Cp)Mn(CO)_3$ and substituted Cp derivatives 85
S.M. Sawtelle (Notre Dame, IN, USA), R.F. Johnston and C.C. Cook (Memphis, TN, USA)

Crystal structure and ligand field states of $[Cr(NH_3)_5NCO](NO_3)_2$ 93
T. Schönherr, R. Wiskemann and D. Mootz (Düsseldorf, Germany)

Nickel(II) and manganese(II) complexes of substituted phenanthroline ligands 99
Md. Athar Masood, D.J. Hodgson (Laramie, WY, USA) and P.S. Zacharias (Hyderabad, India)

Synthesis and structural characterization of a new series of ruthenium(II) complexes containing the short bite Ph_2PPy ligand. Cooperative effect between the anionic rhodium and cationic ruthenium species in the catalytic hydroformylation of styrene by $[Ru(Ph_2PPy)_3Cl][Rh(CO)_2Cl_2]$ 109
D. Drommi, F. Nicolò, C.G. Arena, G. Bruno, F. Faraone (Messina, Italy) and R. Gobetto (Turin, Italy)

Elsevier Science S.A.

Molybdenum complexes with sterically-hindered thio-carboxylate ligands. Electrochemical properties of the anionic complex bis(2,2-diphenyl-2-mercaptoethanoate)dioxomolybdate(VI) in protic solvents 117
A. Cervilla, A. Doménech, E. Llopis, F. Vicente and R. Tamarit (Burjassot, Valencia, Spain)

Synthesis, spectral and redox properties of a new series of aqua complexes of ruthenium(II) 125
A. Llobet (Girona, Spain)

Activation of molecular oxygen by iron nitrosyls in the presence of the bidentate phosphines 1,2-bis(diphenylphosphino)ethane and ethene 133
V. Munyejabo, P. Guillaume and M. Postel (Nice, France)

Hemocyanin model compounds; a quantum mechanical calculation of geometry-dependent exchange interaction 141
C. Erasmus and W. Haase (Darmstadt, Germany)

Notes

Synthesis and X-ray structural determination of pentamethylcyclopentadienyl dichloro oxo molybdenum 147
J.M.B. Blanchard, Q. Chen, Y.-D. Chang and M.B. Sponsler (Syracuse, NY, USA)

Binuclear complexes from 1,8-substituted anthracene derivatives. The crystal structure of [{μ-[1,8-anthracenedicarboxaldehydebis(dimethylhydrazone)]}tetrachlorobis(η^2-ethylene)di-platinum] 151
V. De Felice (Campobasso, Italy), F. Ruffo and A. Tuzi (Naples, Italy)

The reaction of $CpRu(PPh_3)_2^+$ with trimethylenesulfide. Synthesis and molecular and crystal structure of $[CpRu(PPh_3)_2(SC_3H_6)]CF_3SO_3$ 157
H. Park, M. Draganjac (State University, AR, USA), S.R. Scott, A.W. Cordes (Fayetteville, AR, USA) and G. Eggleton (Durant, OK, USA)

Exchange of azine ligands in *fac*-$Re(CO)_3(4\text{-cyanopyridine})_2Cl$ and *fac*-$Re(CO)_3(quinoline)_2Cl$ 161
G. Ferraudi, N. Murakami Iha, G. Ruiz, E. Wolcan and M.E. Feliz (Notre Dame, IN, USA)

Stability constants of the lanthanide(III)-1,4,7,10-tetraazacyclododecane-*N*,*N'*,*N''*,*N'''*-tetraacetate complexes 165
É. Tóth and E. Brücher (Debrecen, Hungary)

Synthesis and molecular structure of two crystalline forms of hydrated cerium(III) picrate 169
L.F. Delboni, G. Oliva, E.E. Castellano (São Carlos, SP, Brazil), L.B. Zinner and S. Braun (São Paulo, SP, Brazil)

Synthesis, characterization and X-ray crystal structure of ethylenediamine(orotato)palladium(II) 173
P. Castan, T. Ha, F. Nepveu (Toulouse, France) and G. Bernardinelli (Geneva, Switzerland)

Zn(II) complexes with thiopyrimidine derivatives: solution study, synthesis and crystal structure of a zig-zag chain zinc(II) complex with the ligand 4,6-dimethyl-2-thiopyrimidine 177
M.L. Godino-Salido, M.D. Gutiérrez-Valero, R. López-Garzón (Jaén, Spain) and J.M. Moreno-Sánchez (Granada, Spain)

Formation of an anchored copper(II) complex on a thiourea-functionalized silica gel by *in situ* modification of the tethered ligating function 183
D. Cauzzi, G. Predieri, A. Tiripicchio (Parma, Italy), R. Zanoni (Rome, Italy) and C. Giori (Parma, Italy)

Trimetallic complexes of the tripod ligand 1,1,1-tris(diphenylphosphinomethyl)ethane
Part I. Homotrimetallic *cis,cis,cis* and *cis,trans,cis* complexes of the type $[(PtX_2\text{-}\eta\text{-tripod})_2PtX_2]$ (X = Cl, I and CH_3) 187
A.R. Khan, S.M. Socol and D.W. Meek (Columbus, OH, USA)

Chiral metal complexes
40. The sterically mediated hydrolysis of a coordinated imine 191
M.A. Cox, P.D. Newman (Cardiff, UK), F.S. Stephens, R.S. Vagg (Sydney, NSW, Australia) and P.A. Williams (Kingswood, NSW, Australia)

Book Review 197

Conference Calendar 199

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.